

**Suspend the Rules and Pass the Bill, H.R. 3158, with an Amendment**

**(The amendment strikes all after the enacting clause and inserts a new text)**

112TH CONGRESS  
1ST SESSION

# H. R. 3158

To direct the Administrator of the Environmental Protection Agency to change the Spill Prevention, Control, and Countermeasure rule with respect to certain farms.

---

## IN THE HOUSE OF REPRESENTATIVES

OCTOBER 12, 2011

Mr. CRAWFORD (for himself, Mr. LUCAS, Mr. RIBBLE, Mr. WALSH of Illinois, Mr. DENHAM, Mr. GRIFFIN of Arkansas, Mr. WOMACK, Mr. SMITH of Nebraska, Mr. TERRY, Mr. THOMPSON of Mississippi, Mr. WESTMORELAND, Mr. JOHNSON of Illinois, Mr. LATTA, Mr. COLE, Mr. CASSIDY, Mr. FLEISCHMANN, Mr. ROSS of Arkansas, Mr. BERG, Mr. FINCHER, Mr. CARTER, and Mrs. EMERSON) introduced the following bill; which was referred to the Committee on Transportation and Infrastructure

---

## A BILL

To direct the Administrator of the Environmental Protection Agency to change the Spill Prevention, Control, and Countermeasure rule with respect to certain farms.

1 *Be it enacted by the Senate and House of Representa-*  
2 *tives of the United States of America in Congress assembled,*

1 **SECTION 1. SHORT TITLE.**

2 This Act may be cited as the “Farmers Undertake  
3 Environmental Land Stewardship Act” or the “FUELS  
4 Act”.

5 **SEC. 2. APPLICABILITY OF SPILL PREVENTION, CONTROL,  
6 AND COUNTERMEASURE RULE.**

7 (a) IN GENERAL.—The Administrator, in imple-  
8 menting the Spill Prevention, Control, and Counter-  
9 measure rule with respect to any farm, shall—

10 (1) require certification of compliance with such  
11 rule by—

12 (A) a professional engineer for a farm  
13 with—

14 (i) an individual tank with an above-  
15 ground storage capacity greater than  
16 10,000 gallons;

17 (ii) an aggregate aboveground storage  
18 capacity greater than or equal to 42,000  
19 gallons; or

20 (iii) a history that includes a spill, as  
21 determined by the Administrator; or

22 (B) the owner or operator of the farm (via  
23 self-certification) for a farm with—

24 (i) an aggregate aboveground storage  
25 capacity greater than 10,000 gallons but  
26 less than 42,000 gallons; and

1 (ii) no history of spills, as determined  
2 by the Administrator; and

3 (2) exempt from all requirements of such rule  
4 any farm—

5 (A) with an aggregate aboveground storage  
6 capacity of less than or equal to 10,000 gallons;  
7 and

8 (B) no history of spills, as determined by  
9 the Administrator.

10 (b) CALCULATION OF AGGREGATE ABOVEGROUND  
11 STORAGE CAPACITY.—For the purposes of subsection (a),  
12 the aggregate aboveground storage capacity of a farm ex-  
13 cludes all containers on separate parcels that have a ca-  
14 pacity that is less than 1,320 gallons.

15 **SEC. 3. DEFINITIONS.**

16 In this Act, the following terms apply:

17 (1) ADMINISTRATOR.—The term “Adminis-  
18 trator” means the Administrator of the Environ-  
19 mental Protection Agency.

20 (2) FARM.—The term “farm” has the meaning  
21 given such term in section 112.2 of title 40, Code  
22 of Federal Regulations.

23 (3) GALLON.—The term “gallon” refers to a  
24 United States liquid gallon.

1           (4) SPILL PREVENTION, CONTROL, AND COUN-  
2           TERMEASURE RULE.—The term “Spill Prevention,  
3           Control, and Countermeasure rule” means the regu-  
4           lation promulgated by the Environmental Protection  
5           Agency under part 112 of title 40, Code of Federal  
6           Regulations.